The Aeronautical Journal of the Royal Aeronautical Society

VOLUME CI

JANUARY–DECEMBER 1997

SUBJECT INDEX

AERODYNAMICS

A cartesian cut cell method for compressible flows, Part A: static body problems, G. Yang, D.M. Causon, D.M. Ingram, R. Saunders and P. Batten, pp 47-56.

A cartesian cut cell method for compressible flows, Part B: moving body problems, G. Yang, D.M. Causon, D.M. Ingram, R. Saunders and P. Batten, pp 57-65.

A cell-vertex upwind scheme for two-dimensional supersonic Euler flows, C.B. Allen and S.P. Fiddes, pp 199-208.

A problem of minimal induced resistance in unsteady motion, G. Iosilevski, pp 93-97.

Flight investigations of the effect of yaw on the intake and fan nozzle flow of a natural laminar flow nacelle, H. Riedel and M. Sitzmann, pp 389-397.

Measurements of velocities in the near field of a lobed forced mixer trailing edge, S.C.M. Yu and T.H. Yip, pp 121-130.

Operational experience and test results in the adaptive test section of the DLR transonic tunnel, H. Holst, K-W. Bock, W. Lorenz-Meyer, F. Oberdieck and M. Hermes, pp 421-428.

Performance of straight–walled annular diffusers with swirling flow, E.D Klomp, pp 467-480.

Technical Note: Large excrescences on transport aircraft: a cautionary tale, D.I. Greenwell, pp 327-330.

Transonic flow over wavy walls: a new solution procedure compared with experiments, B.S. Narang and J. Ho, pp 447-456.

V-22 Osprey aerodynamic development — a progress review, M.A. McVeigh, J. Liu and S.J. O'Toole, pp 231-244.

AEROACOUSTICS

A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, K.-J. Schultz *et al*, pp 143-154.

AEROELASTICITY

Aeroelastic optimisation of composite wings using the dynamic stiffness method, M. Lillico, R. Butler, S. Guo and J.R. Bannerjee, pp 77-86.

AEROFOILS

Technical Note: On the prediction of aerofoil unsteady stall criticality, M.W. Gracey, F.N. Coton and R.A.McD. Galbraith, pp 331-334.

AIRCRAFT PERFORMANCE

Efficient lift enhancement of a blunt edged delta wing, L.W. Traub, pp 439-445.

Flight investigations of the effect of yaw on the intake and fan nozzle flow of a natural laminar flow nacelle, H. Riedel and M. Sitzmann, pp 389-397.

V-22 flight test update, P.J. Dunford and R.L. Marr, pp 245-254.

AVIONICS

An airborne windshear detection system, D. McLean and Z. Zouaoui, pp 447-456.

BOOK REVIEWS — BY AUTHOR

Backhouse, C.J. and Brookes, N.J. (Eds) Concurrent Engineering: What's Working Where, p 388.

Banks, H.T., Smith, R.C. and Wang, Y. Smart Material Structures: Modeling, Estimation and Control, p 486.

Batchelor, G. The Life and Legacy of G.I. Taylor, p 388.

Bond, V.R. and Allman, M.C. Modern Astrodynamics: Fundamentals and Perturbation Methods, p 140.

Carlson, R.L. and Kardomateas, G.A. An Introduction to Fatigue in Metals and Composites, p 438.

Clark, R.N. Control System Dynamics, p 184.

Cohen, H., Rogers G.F.C. and Saravanamuttoo H.I.H. Gas Turbine Theory — Fourth edition, p 326.

Dunn, B.D. Metallurgical Assessment of Spacecraft Parts, Materials and Processes — Second edition, p 486.

Fertis, D.G. Advanced Mechanics of Structures, p 34.

Gokcen, N.A. and Reddy, R.G. Thermodynamics — Second edition, p 229.

Holmes, P., Lumley, J.L. and Berkooz, G. Turbulence, Coherent Structures, Dynamical Systems and Symmetry, p 141.

Hull, D. and Clyne, T.W. An Introduction to Composite Materials — Second edition, p 228.

Kasser, J. Applying Total Quality Management to Systems Engineering, p 141.

Keane, A.J. and Price, W.G. (Eds) Statistical Energy Analysis: an Overview, with Applications in Structural Dynamics, p 228.

Laufer, G. Introduction to Optics and Lasers in Engineering, p 140.

Martin, T. and Rodenberg, H.D. Aeromedical Transportation. A Clinical Guide, p 184.

Morris, G. and Harkness, L. (Eds) Airborne Pulsed Doppler Radar, p 228.

Murthy, S.N.B. and Curran, E.T. Developments in High-Speed Vehicle Propulsion Systems, p 438.

Nieh, T.G. *et al* Superplasticity in Metals and Ceramics, p 229.

Peyret, R. (Ed) Handbook of Computational Fluid Dynamics, p 34.

Rihaczek, A.W. and Hershkowitz, S.J. Radar Resolution and Complex-Image Analysis, p 326.

Russell, J.B. Performance and Stability of Aircraft, p 34.

Schwartz, M. Emerging Engineering Materials: Design, Processes, Applications, p 66.

Sierakowski, R.J. and Newaz, G.M. Damage Toleration in Advanced Composites, p 140.

Tischler, M.B. (Ed) Advances in Aircraft Flight Control, p 66.

Vinoy, K.J. and Jha, R.M. Radar Absorbing Materials From Theory to Design Characterization, p 141.

Wilkinson, R. Aircraft Structures and Systems, p 326.

BOOK REVIEWS — BY TITLE

Advances in Aircraft Flight Control, M.B. Tischler (Ed), p 66.

Advanced Mechanics of Structures, D.G. Fertis, p 34.

Aeromedical Transportation. A Clinical Guide, T. Martin and H.D. Rodenberg, p 184.

The Aeronautical Journal of the Royal Aeronautical Society

VOLUME CI

JANUARY–DECEMBER 1997

SUBJECT INDEX

AERODYNAMICS

A cartesian cut cell method for compressible flows, Part A: static body problems, G. Yang, D.M. Causon, D.M. Ingram, R. Saunders and P. Batten, pp 47-56.

A cartesian cut cell method for compressible flows, Part B: moving body problems, G. Yang, D.M. Causon, D.M. Ingram, R. Saunders and P. Batten, pp 57-65.

A cell-vertex upwind scheme for two-dimensional supersonic Euler flows, C.B. Allen and S.P. Fiddes, pp 199-208.

A problem of minimal induced resistance in unsteady motion, G. Iosilevski, pp 93-97.

Flight investigations of the effect of yaw on the intake and fan nozzle flow of a natural laminar flow nacelle, H. Riedel and M. Sitzmann, pp 389-397.

Measurements of velocities in the near field of a lobed forced mixer trailing edge, S.C.M. Yu and T.H. Yip, pp 121-130.

Operational experience and test results in the adaptive test section of the DLR transonic tunnel, H. Holst, K-W. Bock, W. Lorenz-Meyer, F. Oberdieck and M. Hermes, pp 421-428.

Performance of straight–walled annular diffusers with swirling flow, E.D Klomp, pp 467-480.

Technical Note: Large excrescences on transport aircraft: a cautionary tale, D.I. Greenwell, pp 327-330.

Transonic flow over wavy walls: a new solution procedure compared with experiments, B.S. Narang and J. Ho, pp 447-456.

V-22 Osprey aerodynamic development — a progress review, M.A. McVeigh, J. Liu and S.J. O'Toole, pp 231-244.

AEROACOUSTICS

A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, K.-J. Schultz *et al*, pp 143-154.

AEROELASTICITY

Aeroelastic optimisation of composite wings using the dynamic stiffness method, M. Lillico, R. Butler, S. Guo and J.R. Bannerjee, pp 77-86.

AEROFOILS

Technical Note: On the prediction of aerofoil unsteady stall criticality, M.W. Gracey, F.N. Coton and R.A.McD. Galbraith, pp 331-334.

AIRCRAFT PERFORMANCE

Efficient lift enhancement of a blunt edged delta wing, L.W. Traub, pp 439-445.

Flight investigations of the effect of yaw on the intake and fan nozzle flow of a natural laminar flow nacelle, H. Riedel and M. Sitzmann, pp 389-397.

V-22 flight test update, P.J. Dunford and R.L. Marr, pp 245-254.

AVIONICS

An airborne windshear detection system, D. McLean and Z. Zouaoui, pp 447-456.

BOOK REVIEWS — BY AUTHOR

Backhouse, C.J. and Brookes, N.J. (Eds) Concurrent Engineering: What's Working Where, p 388.

Banks, H.T., Smith, R.C. and Wang, Y. Smart Material Structures: Modeling, Estimation and Control, p 486.

Batchelor, G. The Life and Legacy of G.I. Taylor, p 388.

Bond, V.R. and Allman, M.C. Modern Astrodynamics: Fundamentals and Perturbation Methods, p 140.

Carlson, R.L. and Kardomateas, G.A. An Introduction to Fatigue in Metals and Composites, p 438.

Clark, R.N. Control System Dynamics, p 184.

Cohen, H., Rogers G.F.C. and Saravanamuttoo H.I.H. Gas Turbine Theory — Fourth edition, p 326.

Dunn, B.D. Metallurgical Assessment of Spacecraft Parts, Materials and Processes — Second edition, p 486.

Fertis, D.G. Advanced Mechanics of Structures, p 34.

Gokcen, N.A. and Reddy, R.G. Thermodynamics — Second edition, p 229.

Holmes, P., Lumley, J.L. and Berkooz, G. Turbulence, Coherent Structures, Dynamical Systems and Symmetry, p 141.

Hull, D. and Clyne, T.W. An Introduction to Composite Materials — Second edition, p 228.

Kasser, J. Applying Total Quality Management to Systems Engineering, p 141.

Keane, A.J. and Price, W.G. (Eds) Statistical Energy Analysis: an Overview, with Applications in Structural Dynamics, p 228.

Laufer, G. Introduction to Optics and Lasers in Engineering, p 140.

Martin, T. and Rodenberg, H.D. Aeromedical Transportation. A Clinical Guide, p 184.

Morris, G. and Harkness, L. (Eds) Airborne Pulsed Doppler Radar, p 228.

Murthy, S.N.B. and Curran, E.T. Developments in High-Speed Vehicle Propulsion Systems, p 438.

Nieh, T.G. *et al* Superplasticity in Metals and Ceramics, p 229.

Peyret, R. (Ed) Handbook of Computational Fluid Dynamics, p 34.

Rihaczek, A.W. and Hershkowitz, S.J. Radar Resolution and Complex-Image Analysis, p 326.

Russell, J.B. Performance and Stability of Aircraft, p 34.

Schwartz, M. Emerging Engineering Materials: Design, Processes, Applications, p 66.

Sierakowski, R.J. and Newaz, G.M. Damage Toleration in Advanced Composites, p 140.

Tischler, M.B. (Ed) Advances in Aircraft Flight Control, p 66.

Vinoy, K.J. and Jha, R.M. Radar Absorbing Materials From Theory to Design Characterization, p 141.

Wilkinson, R. Aircraft Structures and Systems, p 326.

BOOK REVIEWS — BY TITLE

Advances in Aircraft Flight Control, M.B. Tischler (Ed), p 66.

Advanced Mechanics of Structures, D.G. Fertis, p 34.

Aeromedical Transportation. A Clinical Guide, T. Martin and H.D. Rodenberg, p 184.

Airborne Pulsed Doppler Radar, G. Morris and L. Harkness (Eds), p 228.
Aircraft Structures and Systems, R. Wilkinson, p 326.
An Introduction to Composite Materials — Second edition, D. Hull and T.W. Clyne, p 228.
An Introduction to Fatigue in Metals and Composites, R.L. Carlson and G.A. Kardomateas, p 438.
Applying Total Quality Management to Systems Engineering, J. Kasser, p 141.
Concurrent Engineering: What's Working Where, C.J. Backhouse and N.J. Brookes (Eds), p 388.
Control System Dynamics, R.N. Clark, p184.
Damage Toleration in Advanced Composites, R.J. Sierakowski and G.M. Newaz, p 140.
Developments in High-Speed Vehicle Propulsion Systems, S.N.B. Murthy and E.T.Curran, p 438.
Emerging Engineering Materials: Design, Processes, Applications, M. Schwartz, p 66.
Gas Turbine Theory — Fourth edition, H. Cohen, G.F.C. Rogers and H.I.H. Saravanamuttoo, p 326.
Handbook of Computational Fluid Dynamics, R. Peyret (Ed), p 34.
Introduction to Optics and Lasers in Engineering, G. Laufer, p 140.
Metallurgical Assessment of Spacecraft Parts, Materials and Processes — Second edition, B.D. Dunn, p 486.
Modern Astrodynamics: Fundamentals and Perturbation Methods, V.R. Bond and M.C. Allman, p 140.
Performance and Stability of Aircraft, J.B. Russell, p 34.
Radar Absorbing Materials From Theory to Design Characterization, K.J. Vinoy and R.M. Jha, p 141.
Radar Resolution and Complex-Image Analysis, A.W. Rihaczek and S.J. Hershkowitz, p 326.
Smart Material Structures: Modeling, Estimation and Control, H.T. Banks, R.C. Smith and Y. Wang, p 486.
Statistical Energy Analysis: an Overview, with Applications in Structural Dynamics, A.J. Keane and W.G. Price (Eds), p 228.
Thermodynamics — Second edition, N.A. Gokcen and R.G. Reddy, p 229.
Superplasticity in Metals and Ceramics, T.G. Nieh, *et al*, p 229.
The Life and Legacy of G.I. Taylor, G. Batchelor, p 388.
Turbulence, Coherent Structures, Dynamical Systems and Symmetry, P. Holmes, J.L. Lumley and G. Berkooz, p 141.

BOUNDARY LAYERS

Comparisons between low Reynolds number two-equation models for computation of a shockwave–turbulent-boundary layer interaction, B.K. Yoon, M.K. Chung and S.O. Park, pp 335-345.
Effect of sandpaper roughness and stream turbulence on the laminar layer and its transition, J.C. Gibbings and S.M. Al-Shukri, pp 17-24.
Technical Note: A note on the Prandtl number effect on laminar heat transfer and recovery, B.W. van Oudheusden, pp 371-374.
Technical Note: Radial conduction effects in transient heat transfer experiments, D.R. Buttsworth and T.V. Jones, pp 209-212.

COMPUTATIONAL FLUID DYNAMICS

A cartesian cut cell method for compressible flows, Part A: static body problems, G. Yang, D.M. Causon, D.M. Ingram, R. Saunders and P. Batten, pp 47-56.
A cartesian cut cell method for compressible flows, Part B: moving body problems, G. Yang, D.M. Causon, D.M. Ingram, R. Saunders and P. Batten, pp 57-65.
The reduction of numerical entropy generated by unsteady shockwaves, C.B. Allen, pp 9-16.

DRAG

Technical Note: A note on the potential contribution of wing–body interference drag to the total drag of an aircraft, L. Bernstein, pp 417-420.
Technical Note: Analytic prediction of vortex drag of high aspect ratio tapered wings, L.W. Traub, pp 25-28.

MANUFACTURING

In praise of skunkworks!, M.J. Platts, pp 213-216.

MATERIALS

Heuristic design of composite laminates for strength, stiffness and multiple load cases, S.K. Morton and J.P.H. Webber, pp 35-45.
Repairing composite aircraft structures — RAF experience of peacetime and battle damage techniques, S.H. Chicken, S. Welburn and S. Reed, pp 277-285.

MODELLING

Future large aircraft design — the delta wing section, R.M. Denning, J.E. Allen and F.W. Armstrong, pp 187-198.
Modelling dynamic stall vortex inception at low Mach numbers, A.J. Niven and R.A.McD. Galbraith, pp 67-76.
Multidisciplinary optimisation of a supersonic transport using design of experiments theory and response surface modelling, A.A. Giunta, V. Balabanov, D. Haim, B. Grossman, W.H. Mason, L.T. Watson and R.T. Haftka, pp 347-356.
Neural network models of human operator performance, A. May, pp 155-158.
Numerical modelling of unsteady flow in a twin side-by-side intake system, D.M. Causon and D.M. Ingram, pp 365-370.
On the use of large scale windtunnel models, A. Giacchetto, pp 429-437.
Validation of a blade-element helicopter model for large-amplitude manoeuvres, S.S. Houston, pp 1-8.

PARACHUTES

Testing a new model of ram-air parachute inflation, J. Potvin, pp 299-314.
Windtunnel testing of parachutes for the Huygens probe, J.C. Underwood and R.J. Sinclair, pp 357-364.

PHOTOGRAPHS

Aircraft

VFW614/ATTAS in flight with the NLF nacelle installed on the port engine, p 390.

Components

UH-60A blade motion hardware, p 219.
View of signal conditioning cards and encoders inside the RDAS, p 220.
V-22 wing fence, p 236.
Installation of forebody strakes on aircraft, p 241.

Research facilities

Looking into the plenum of TWG, sliding door open, p 422.

Rotorcraft

NH90 prototype No 2, p 167.
UH-60A with instrumented blades, p 218.
The Bell-Boeing V-22 Osprey, p 231.
V-22 tethered hover test, p 234.
Hover without opposed lateral cyclic (a), p 235.
Opposed lateral cyclic deflects rotor wake during hover (b), p 235.
V-22 aircraft 7, p 245.
Aircraft 3 operating from an austere zone, p 252.

Spacecraft

The Ranger vehicle, p 255.

Test results

Test set installed in the DNW open test section: a) 7A rotor, b) 7AD1 rotor, p 144.
Buffet onset angle of attack vs Mach number, p 250.
In-flight icing tests behind a KC-135, p 251.
Helicopter support team evaluations, p 251.

Windtunnel models
Streak line pattern over wing tip, p 92.
Oil flow showing separated regions on the wing, p 238.
Laser-smoke system shows core of wing separated flow near stall, p 238.
Oil flow visualisation for baseline fairing configuration, p 328.
Effect of vortex generators and strakes on fairing wake, p 329.
Icing on a full scale wing section at S1MA, p 431.
Parafoil test in the S1MA settling chamber, p 432.
Laminar wing test at S1MA, p 434.
Helicopter rotor test in S1MA, p 435.
CTS in S1MA, p 436.
Apache missile in S1MA test section, p 436.

PROPULSION
Predicted performance characteristics of a variable cycle turbofan, I. Ulizar and P. Pilidis, pp 263-268.
Some aspects of centrifugal fan characteristics in blower windtunnels, A.E. Johnson and P.E. Hancock, pp 481-485.

ROTORCRAFT
An analytical model for ACSR approach to vibration reduction in helicopter rotor–flexible fuselage system, T. Chiu and P.P. Friedmann, pp 399-408.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, K.-J. Schultz *et al*, pp 143-154.
Efficient and robust algorithms for trim and stability analysis of advanced rotorcraft simulations, J.S.G. McVicar and R. Bradley, pp 375-387.
NH90 — the new military services helicopter, O.W. Geissinger and S.L. Traldi, pp 159-168.
UH-60A helicopter rotor airloads measured in flight, R.M. Kufeld and W.G. Bousman, pp 217-227.
V-22 flight test update, P.J. Dunford and R.L. Marr, pp 245-254.
V-22 Osprey aerodynamic development — a progress review, M.A. McVeigh, J. Liu and S.J. O'Toole, pp 231-244.
Validation of a blade-element helicopter model for large-amplitude manoeuvres, S.S. Houston, pp 1-8.

SAFETY
Airline safety — some lessons from Australia, G.R. Braithwaite and R.E. Caves, pp 29-33.
International obligations as regards safety in international civil aviation, R.I.R. Abeyratne, pp 457-466.

SEPARATION
Two-dimensional implicit flux split steady and unsteady Euler calculations using unstructured moving grids, K.P. Sinhamahapatra and N. Singh, pp 131-139.

SIMULATION
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, K.-J. Schultz *et al*, pp 143-154.
Recent experience in the prediction and assessment of windtunnel wall interference, P.R. Ashill, R. Jordan and M.J. Simmons, pp 315-325.
The use of inverse simulation for preliminary assessment of helicopter handling qualities, D.G. Thomson and R. Bradley, pp 287-294.

SPACE
Autonomous control for on-orbit assembly using potential function methods, F. McQuade and C.R. McInnes, pp 255-262.
Low thrust orbit raising with J_2 regression, C.R. McInnes, pp 295-298.
Windtunnel testing of parachutes for the Huygens probe, J.C. Underwood and R.J. Sinclair, pp 357-364.

STRUCTURES
A methodology for the preliminary analysis and comparison of wing–tail and canard configurations, G. Lombardi and G. Mengali, pp 169-178.
Repairing composite aircraft structures — RAF experience of peacetime and battle damage techniques, S.H. Chicken, S. Welburn and S. Reed, pp 277-285.

VIBRATION
An analytical model for ACSR approach to vibration reduction in helicopter rotor–flexible fuselage system, T. Chiu and P.P. Friedmann, pp 399-408.

VORTICES
Computational modelling of separated flow around a streamlined body at high incidence, F.-S. Lien and M.A. Leschziner, pp 269-275.
Effects of delta planform tip sails on the performance of a blunt edged rectangular wing, L.W. Traub, pp 87-92.
Experimental investigation of vortex dynamics on a 65° delta wing in sideslip, G. Guglieri and F.B. Quagliotti, pp 111-120.
Studies of vortex flaps for different sweepback angle delta wings, K. Rinoie, pp 409-416.

WINDTUNNELS
Close spacing of settling chamber screens, P.E. Hancock and A.E. Johnson, pp 179-183.
Homogeneous wall boundary conditions for oscillatory flow in slotted tunnels, D.G. Mabey, pp 99-110.
On the use of large scale windtunnel models, A. Giacchetto, pp 429-437.
Operational experience and test results in the adaptive test section of the DLR transonic tunnel, H. Holst, K-W. Bock, W. Lorenz-Meyer, F. Oberdieck and M. Hermes, pp 421-428.
Some aspects of centrifugal fan characteristics in blower windtunnels, A.E. Johnson and P.E. Hancock, pp 481-485.

AUTHOR INDEX

ABEYRATNE, R.I.R.
International obligations as regards safety in international civil aviation, pp 457-466.

AL-SHUKRI, S.M. and GIBBINGS, J.C.
Effect of sandpaper roughness and stream turbulence on the laminar layer and its transition, pp 17-24.

ALLEN, C.B.
The reduction of numerical entropy generated by unsteady shockwaves, pp 9-16.

ALLEN, C.B. and FIDDES, S.P.
A cell-vertex upwind scheme for two-dimensional supersonic Euler flows, pp 199-208.

ALLEN, J.E., DENNING, R.M. and ARMSTRONG, F.W.
Future large aircraft design — the delta wing section, pp 187-198.

ARMSTRONG, F.W., DENNING, R.M. and ALLEN, J.E.
Future large aircraft design — the delta wing section, pp 187-198.

ARNAUD, G., SCHULTZ, K.-J., SPLETTSTOESSER, W., JUNKER, B., WAGNER, W., SCHOELL, E., FERTIS, D., MERCKER, E. and PENGEL, K.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

ASHILL, P.R., JORDAN, R. and SIMMONS, M.J.
Recent experience in the prediction and assessment of windtunnel wall interference, pp 315-325.

BALABANOV, V., GIUNTA, A.A., HAIM, D., GROSSMAN, B., MASON, W.H., WATSON, L.T. and HAFTKA, R.T.
Multidisciplinary optimisation of a supersonic transport using design of experiments theory and response surface modelling, pp 347-356.

BANNERJEE, J.R., LILLICO, M., BUTLER, R. and GUO, S.
Aeroelastic optimisation of composite wings using the dynamic stiffness method, pp 77-86.

BATTEN, P., YANG, G., CAUSON, D.M., INGRAM, D.M. and SAUNDERS, R.
A cartesian cut cell method for compressible flows, Part A: static body problems, pp 47-56.

BATTEN, P., YANG, G., CAUSON, D.M., INGRAM, D.M. and SAUNDERS, R.
A cartesian cut cell method for compressible flows, Part B: moving body problems, pp 57-65.

BERNSTEIN, L.
Technical Note: A note on the potential contribution of wing–body interference drag to the total drag of an aircraft, pp 417-420.

BOCK, K-W., HOLST, H., LORENZ-MEYER,W., OBERDIECK, F. and HERMES, M.
Operational experience and test results in the adaptive test section of the DLR transonic tunnel, pp 421-428.

BOUSMAN, W.G. and KUFELD, R.M.
UH-60A helicopter rotor airloads measured in flight, pp 217-227.

BRADLEY, R. and MCVICAR, J.S.G.
Efficient and robust algorithms for trim and stability analysis of advanced rotorcraft simulations, pp 375-387.

BRADLEY, R. and THOMSON, D.G.
The use of inverse simulation for preliminary assessment of helicopter handling qualities, pp 287-294.

BRAITHWAITE, G.R. and CAVES, R.E.
Airline safety — some lessons from Australia, pp 29-33.

BUTLER, R., LILLICO, M., GUO, S. and BANNERJEE, J.R.
Aeroelastic optimisation of composite wings using the dynamic stiffness method, pp 77-86.

BUTTSWORTH, D.R. and JONES, T.V.
Technical note: Radial conduction effects in transient heat transfer experiments, pp 209-212.

CAUSON, D.M. and INGRAM, D.M.
Numerical modelling of unsteady flow in a twin side-by-side intake system, pp 365-370.

CAUSON, D.M., YANG, G., INGRAM, D.M., SAUNDERS, R. and BATTEN, P.
A cartesian cut cell method for compressible flows, Part A: static body problems, pp 47-56.

CAUSON, D.M., YANG, G., INGRAM, D.M., SAUNDERS, R. and BATTEN, P.
A cartesian cut cell method for compressible flows, Part B: moving body problems, pp 57-65.

CAVES, R.E. and BRAITHWAITE, G.R.
Airline safety — some lessons from Australia, pp 29-33.

CHICKEN, S.H., WELBURN, S. and REED, S.
Repairing composite aircraft structures — RAF experience of peacetime and battle damage techniques, pp 277-285.

CHIU, T. and FRIEDMANN, P.P.
An analytical model for ACSR approach to vibration reduction in helicopter rotor–flexible fuselage system, pp 399-408.

CHUNG, M.K. ,YOON, B.K. and PARK, S.O.
Comparisons between low Reynolds number two-equation models for computation of a shockwave–turbulent-boundary layer interaction, pp 335-345.

COTON, F.N., GRACEY, M.W. and GALBRAITH, R.A.MCD.
Technical Note: On the prediction of aerofoil unsteady stall criticality, pp 331-334.

DENNING, R.M., ALLEN, J.E. and ARMSTRONG, F.W.
Future large aircraft design — the delta wing section, pp 187-198.

DUNFORD, P.J. and MARR, R.L.
V-22 flight test update, pp 245-254.

FERTIS, D., SCHULTZ, K.-J., SPLETTSTOESSER, W., JUNKER, B., WAGNER, W., ARNAUD, G., SCHOELL, E., MERCKER, E. and PENGEL, K.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

FIDDES, S.P. and ALLEN, C.B.
A cell-vertex upwind scheme for two-dimensional supersonic Euler flows, pp 199-208.

FRIEDMANN, P.P. and CHIU, T.
An analytical model for ACSR approach to vibration reduction in helicopter rotor–flexible fuselage system, pp 399-408.

GALBRAITH, R.A.MCD., GRACEY, M.W. and COTON, F.N.
Technical Note: On the prediction of aerofoil unsteady stall criticality, pp 331-334.

GALBRAITH, R.A.MCD. and NIVEN, A.J.
Modelling dynamic stall vortex inception at low Mach numbers, pp 67-76.

GEISSINGER, O.W. and TRALDI, S.L.
NH90 — the new military services helicopter, pp 159-168.

GIACCHETTO, A.
On the use of large scale windtunnel models, pp 429-437.

GIBBINGS, J.C. and AL-SHUKRI, S.M.
Effect of sandpaper roughness and stream turbulence on the laminar layer and its transition, pp 17-24.

GIUNTA, A.A., BALABANOV, V., HAIM, D., GROSSMAN, B., MASON, W.H., WATSON, L.T. and HAFTKA, R.T.
Multidisciplinary optimisation of a supersonic transport using design of experiments theory and response surface modelling, pp 347-356.

GRACEY, M.W., COTON, F.N. and GALBRAITH, R.A.MCD.
Technical Note: On the prediction of aerofoil unsteady stall criticality, pp 331-334.

GREENWELL, D.I.
Technical Note: Large excrescences on transport aircraft: a cautionary tale, pp 327-330.

GROSSMAN, B., GIUNTA, A.A., BALABANOV, V., HAIM, D., MASON, W.H., WATSON, L.T. and HAFTKA, R.T.
Multidisciplinary optimisation of a supersonic transport using design of experiments theory and response surface modelling, pp 347-356.

GUGLIERI, G. and QUAGLIOTTI, F.B.
Experimental investigation of vortex dynamics on a 65° delta wing in sideslip, pp 111-120.

GUO, S., LILLICO, M., BUTLER, R. and BANNERJEE, J.R.
Aeroelastic optimisation of composite wings using the dynamic stiffness method, pp 77-86.

HAFTKA, R.T., GIUNTA, A.A., BALABANOV, V., HAIM, D., GROSSMAN, B., MASON, W.H. and WATSON, L.T.
Multidisciplinary optimisation of a supersonic transport using design of experiments theory and response surface modelling, pp 347-356.

HAIM, D., GIUNTA, A.A., BALABANOV, V., GROSSMAN, B., MASON, W.H., WATSON, L.T. and HAFTKA, R.T.
Multidisciplinary optimisation of a supersonic transport using design of experiments theory and response surface modelling, pp 347-356.

HANCOCK, P.E. and JOHNSON, A.E.
Close spacing of settling chamber screens, pp 179-183.

HANCOCK, P.E. and JOHNSON, A.E.
Some aspects of centrifugal fan characteristics in blower windtunnels, pp 481-485.

HO, J. and NARANG, B.S.
Transonic flow over wavy walls: a new solution procedure compared with experiments, pp 487-493.

HOLST, H., BOCK, K-W., LORENZ-MEYER,W., OBERDIECK, F. and HERMES, M.
Operational experience and test results in the adaptive test section of the DLR transonic tunnel, pp 421-428.

HOUSTON, S.S.
Validation of a blade-element helicopter model for large-amplitude manoeuvres, pp 1-8.

INGRAM, D.M. and CAUSON, D.M.
Numerical modelling of unsteady flow in a twin side-by-side intake system, pp 365-370.

INGRAM, D.M., YANG, G., CAUSON, D.M., SAUNDERS, R. and BATTEN, P.
A cartesian cut cell method for compressible flows, Part A: static body problems, pp 47-56.

INGRAM, D.M., YANG, G., CAUSON, D.M., SAUNDERS, R. and BATTEN, P.
A cartesian cut cell method for compressible flows, Part B: moving body problems, pp 57-65.

IOSILEVSKI, G.
A problem of minimal induced resistance in unsteady motion, pp 93-97.

JOHNSON, A.E. and HANCOCK, P.E.
Close spacing of settling chamber screens, pp 179-183.

JOHNSON, A.E. and HANCOCK, P.E.
Some aspects of centrifugal fan characteristics in blower windtunnels, pp 481-485.

JONES, T.V. and BUTTSWORTH, D.R.
Technical Note: Radial conduction effects in transient heat transfer experiments, pp 209-212.

JORDAN, R., ASHILL, P.R. and SIMMONS, M.J.
Recent experience in the prediction and assessment of windtunnel wall interference, pp 315-325.

JUNKER, B., SCHULTZ, K.-J., SPLETTSTOESSER, W., WAGNER, W., ARNAUD, G., SCHOELL, E., FERTIS, D., MERCKER, E. and PENGEL, K.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

KLOMP, E.D.
Performance of straight–walled annular diffusers with swirling flow, pp 467-480.

KUFELD, R.M. and BOUSMAN, W.G.
UH-60A helicopter rotor airloads measured in flight, pp 217-227.

LESCHZINER, M.A. and LIEN, F.-S.
Computational modelling of separated flow around a streamlined body at high incidence, pp 269-275.

LIEN, F.-S. and LESCHZINER, M.A.
Computational modelling of separated flow around a streamlined body at high incidence, pp 269-275.

LILLICO, M., BUTLER, R., GUO, S. and BANNERJEE, J.R.
Aeroelastic optimisation of composite wings using the dynamic stiffness method, pp 77-86.

LIU, J., MCVEIGH, M.A. and O'TOOLE, S.J.
V-22 Osprey aerodynamic development — a progress review, pp 231-244.

LOMBARDI, G. and MENGALI, G.
A methodology for the preliminary analysis and comparison of wing–tail and canard configurations, pp 169-178.

LORENZ-MEYER,W., HOLST, H., BOCK, K-W., OBERDIECK, F. and HERMES, M.
Operational experience and test results in the adaptive test section of the DLR transonic tunnel, pp 421-428.

MARR, R.L. and DUNFORD, P.J.
V-22 flight test update, pp 245-254.

MABEY, D.G.
Homogeneous wall boundary conditions for oscillatory flow in slotted tunnels, pp 99-110.

MASON, W.H., GIUNTA, A.A., BALABANOV, V., HAIM, D., GROSSMAN, B., WATSON, L.T. and HAFTKA, R.T.
Multidisciplinary optimisation of a supersonic transport using design of experiments theory and response surface modelling, pp 347-356.

MAY, A.
Neural network models of human operator performance, pp 155-158.

MCINNES, C.R.
Low thrust orbit raising with J_2 regression, pp 295-298.

MCINNES, C.R. and MCQUADE, F.
Autonomous control for on-orbit assembly using potential function methods, pp 255-262.

MCLEAN, D. and ZOUAOUI, Z.
An airbourne windshear detection system, pp 447-456.

MCVEIGH, M.A., LIU, J. and O'TOOLE, S.J.
V-22 Osprey aerodynamic development — a progress review, pp 231-244.

MCVICAR, J.S.G. and BRADLEY, R.
Efficient and robust algorithms for trim and stability analysis of advanced rotorcraft simulations, pp 375-387.

MCQUADE, F. and MCINNES, C.R.
Autonomous control for on-orbit assembly using potential function methods, pp 255-262.

MENGALI, G. and LOMBARDI, G.
A methodology for the preliminary analysis and comparison of wing–tail and canard configurations, pp 169-178.

MERCKER, E., SCHULTZ, K.-J., SPLETTSTOESSER, W., JUNKER, B., WAGNER, W., ARNAUD, G., SCHOELL, E., FERTIS, D. and PENGEL, K.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

MORTON, S.K. and WEBBER, J.P.H.
Heuristic design of composite laminates for strength, stiffness and multiple load cases, pp 35-45.

NARANG, B.S. and HO, J.
Transonic flow over wavy walls: a new solution procedure compared with experiments, pp 487-493.

NIVEN, A.J. and GALBRAITH, R.A.MCD.
Modelling dynamic stall vortex inception at low Mach numbers, pp 67-76.

OBERDIECK, F., HOLST, H., BOCK, K-W., LORENZ-MEYER,W. and HERMES, M.
Operational experience and test results in the adaptive test section of the DLR transonic tunnel, pp 421-428.

O'TOOLE, S.J., MCVEIGH, M.A. and LIU, J.
V-22 Osprey aerodynamic development — a progress review, pp 231-244.

PARK, S.O., YOON, B.K. and CHUNG, M.K.
Comparisons between low Reynolds number two-equation models for computation of a shockwave–turbulent-boundary layer interaction, pp 335-345.

PENGEL, K., SCHULTZ, K.-J., SPLETTSTOESSER, W., JUNKER, B., WAGNER, W., ARNAUD, G., SCHOELL, E., FERTIS, D. and MERCKER, E.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

PILIDIS, P. and ULIZAR, I.
Predicted performance characteristics of a variable cycle turbofan, pp 263-268.

PLATTS, M.J.
In praise of skunkworks!, pp 213-216.

POTVIN, J.
Testing a new model of ram-air parachute inflation, pp 299-314.

QUAGLIOTTI, F.B. and GUGLIERI, G.
Experimental investigation of vortex dynamics on a 65° delta wing in sideslip, pp 111-120.

REED, S., CHICKEN, S.H. and WELBURN, S.
Repairing composite aircraft structures — RAF experience of peacetime and battle damage techniques, pp 277-285.

RIEDEL, H. and SITZMANN, M.
Flight investigations of the effect of yaw on the intake and fan nozzle flow of a natural laminar flow nacelle, pp 389-397.

RINOIE, K.
Studies of vortex flaps for different sweepback angle delta wings, pp 409-416.

SAUNDERS, R., YANG, G., CAUSON, D.M., INGRAM, D.M. and BATTEN, P.
A cartesian cut cell method for compressible flows, Part A: static body problems, pp 47-56.

SAUNDERS, R., YANG, G., CAUSON, D.M., INGRAM, D.M. and BATTEN, P.
A cartesian cut cell method for compressible flows, Part B: moving body problems, pp 57-65.

SCHOELL, E., SCHULTZ, K.-J., SPLETTSTOESSER, W., JUNKER, B., WAGNER, W., ARNAUD, G., FERTIS, D., MERCKER, E. and PENGEL, K.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

SCHULTZ, K.-J., SPLETTSTOESSER, W., JUNKER, B., WAGNER, W., ARNAUD, G., SCHOELL, E., FERTIS, D., MERCKER, E. and PENGEL, K.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

SIMMONS, M.J., ASHILL, P.R. and JORDAN, R.
Recent experience in the prediction and assessment of windtunnel wall interference, pp 315-325.

SINCLAIR, R.J. and UNDERWOOD, J.C.
Windtunnel testing of parachutes for the Huygens probe, pp 357-364.

SINGH, N. and SINHAMAHAPATRA, K.P.
Two-dimensional implicit flux split steady and unsteady Euler calculations using unstructured moving grids, pp 131-139.

SINHAMAHAPATRA, K.P. and SINGH, N.
Two-dimensional implicit flux split steady and unsteady Euler calculations using unstructured moving grids, pp 131-139.

SITZMANN, M. and RIEDEL, H.
Flight investigations of the effect of yaw on the intake and fan nozzle flow of a natural laminar flow nacelle, pp 389-397.

SPLETTSTOESSER, W., SCHULTZ, K.-J., JUNKER, B., WAGNER, W., ARNAUD, G., SCHOELL, E., FERTIS, D., MERCKER, E. and PENGEL, K.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

THOMSON, D.G. and BRADLEY, R.
The use of inverse simulation for preliminary assessment of helicopter handling qualities, pp 287-294.

TRALDI, S.L. and GEISSINGER, O.W.
NH90 — the new military services helcopter, pp 159-168.

TRAUB, L.W.
Effects of delta planform tip sails on the performance of a blunt edged rectangular wing, pp 87-92.

TRAUB, L.W.
Efficient lift enhancement of a blunt edged delta wing, pp 439-445.

TRAUB, L.W.
Technical Note: Analytic prediction of vortex drag of high aspect ratio tapered wings, pp 25-28.

ULIZAR, I. and PILIDIS, P.
Predicted performance characteristics of a variable cycle turbofan, pp 263-268.

UNDERWOOD, J.C. and SINCLAIR, R.J.
Windtunnel testing of parachutes for the Huygens probe, pp 357-364.

VAN OUDHEUSDEN, B.W.
Technical Note: A note on the Prandtl number effect on laminar heat transfer and recovery, pp 371-374.

WAGNER, W., SCHULTZ, K.-J., SPLETTSTOESSER, W., JUNKER, B., ARNAUD, G., SCHOELL, E., FERTIS, D., MERCKER, E. and PENGEL, K.
A parametric windtunnel test on rotorcraft aerodynamics and aeroacoustics (Helishape) — test procedures and representative results, pp 143-154.

WATSON, L.T., GIUNTA, A.A., BALABANOV, V., HAIM, D., GROSSMAN, B., MASON, W.H. and HAFTKA, R.T.
Multidisciplinary optimisation of a supersonic transport using design of experiments theory and response surface modelling, pp 347-356.

WEBBER, J.P.H. and MORTON, S.K.
Heuristic design of composite laminates for strength, stiffness and multiple load cases, pp 35-45.

WELBURN, S., CHICKEN, S.H. and REED, S.
Repairing composite aircraft structures — RAF experience of peacetime and battle damage techniques, pp 277-285.

YANG, G., CAUSON, D.M., INGRAM, D.M., SAUNDERS, R. and BATTEN, P.
A cartesian cut cell method for compressible flows, Part A: static body problems, pp 47-56.

YANG, G., CAUSON, D.M., INGRAM, D.M., SAUNDERS, R. and BATTEN, P.
A cartesian cut cell method for compressible flows, Part B: moving body problems, pp 57-65.

YIP, T.H. and YU, S.C.M.
Measurements of velocities in the near field of a lobed forced mixer trailing edge, pp 121-130.

YOON, B.K., CHUNG, M.K. and PARK, S.O.
Comparisons between low Reynolds number two-equation models for computation of a shockwave–turbulent-boundary layer interaction, pp 335-345.

YU, S.C.M. and YIP, T.H.
Measurements of velocities in the near field of a lobed forced mixer trailing edge, pp 121-130.

ZOUAOUI, Z. and MCLEAN, D.
An airborne windshear detection system, pp 447-456.

Volume CI

Number 1001	January	1-45
Number 1002	February	46-97
Number 1003	March	98-142
Number 1004	April	143-185
Number 1005	May	186-229
Number 1006	June/July	230-285
Number 1007	August/September	286-345
Number 1008	October	346-397
Number 1009	November	398-445
Number 1010	December	446-501

The Aeronautical Journal

The editorial staff would like to thank all the referees who provided valuable comments throughout 1997. Those who assisted on papers which reached a conclusion in 1997 are listed below.

C.B. Allen
R. Ashford
K.J. Badcock
C.J. Baker
R.V. Barrett
P.W. Bearman
L. Bernstein
C. Bewick
S.M. Bishop
J.E. Cooper
G.A.O. Davies
W.N. Dawes
R. Dominy
G.T.S. Done
D.H. Dykins
R.A. East
S.P. Fiddes
J.P. Fielding
J.E. Flitcroft
L. Gaudet
J.M.R. Graham
D.I. Greenwell
A.B. Haines
J.K. Harvey
R. Hillier
G.S. Hodges
L.C. Jones
W. Jones
J.A. Jupp
M.G. Kellett
S.P. King
D. Leadbeater
J. Lewis
J.S. Lingard
G.D. Lock
D.A Lovell
M. Lowenberg
M.V. Lowson
C.C. Lytton
D.G. Mabey
J.J. McGuirk
T. McMichael
K. Morgan
A.J. Morris
W.H. Morris
J.F. Morrison
D.J. Murray-Smith
S.J. Newman
D. Northey
J.M. Owen
G.D. Padfield
J.A. Passmore
D.I.A. Poll
N. Qin
P.J. Robins
W.P. Rodden
A.M. Savill
H. Smith
R.V. Smith
J.J. Spillman
L.C. Squire
D.R. Stanniland
G.G. Swinerd
F. Taylor
B. Tomlinson
E.F. Toro
A. Vincent
J.K. Watterson
G.L. Wilde
B.R. Williams
N.J. Wood
D.S. Woodward

The editorial staff also wish to thank the members of the Editorial Avisory Committee for their guidance throughout 1997.

We are also indebted to John Shaw of ESDU International for his assistance in the preparation of the Reports section of *Library Additions* each quarter.